

 **Troll-master**
Contributing to your success

Feahorse[®]

Downrigger System



**OWNER
MANUAL**




Rod Holder Rack

THANK YOU,

We hope you enjoy this product!

We at Troll-master thank you for purchasing our product! Seahorse® Adjustable Rod Holder Rack is designed to simplify the complexities and take logistics out of the equation. The Rod Rack securely holds four fishing rods. It is designed to be used not only for Rod storage and organization but also for trolling applications. Highly configurable Dual Axis Adjustment capability allows anglers to set a perfect angle at any position while trolling with multiple rods. The attachment is designed to be securely attached to any sturdy surface providing better utilization of cockpit space while keeping the fishing rods in handy, yet secure, positions.

- *High level of adjustability*
- *Multiple installation configurations (Bolt-through or Clamp-on).*
- *Heavy duty rugged construction insures durability and peace of mind.*
- *Corrosion resistant materials used to ensure long life and trouble free operation.*
- *Optimized to work great with all light, medium and heavy rods, conventional or spinning outfits.*



For more information, visit our website
www.Troll-master.com

PARTS INCLUDE:



A

(x2) Rod Holder
Adjustment Knob

DSP-S72123



B

(x2) Rod Holder
Elbow

DSP-S72122



C

(x4) Rod Holder
Tube

DSP-S72120



D

Bottom
Bracket

MSP-S82200



E

(x2) Clamp

MSP-S82201

ASSEMBLY

The installation of the Adjustable rod rack is really simple. Choose your installation style – the product can be mounted vertically or horizontally, either bolt-through or a clamp-on.

Bolt-through Installation:

- 1** Use the **rod holder bracket** as a template to mark and drill holes in the surface for four mounting screws.
- 2** Drill the mounting surface. (Screws used are ¼ x 20)
- 3** Attach the washers and mounting nuts on the other side of the mounting surface and tighten the nuts securely.
- 4** Please do not over torque the nuts as this can cause damage to the rod holder bracket.

Clamp-on Installation:

- 1** Attach **rod holder bracket** to a flat bar, non-round tube or railing.
- 2** Optional: Use some electrical tape to improve the traction.
- 3** Bring the **clamps** behind and secure them with the mounting screws. Clamps already have the nuts molded inside of them.
- 4** Please do not over torque the mounting screws as this can cause damage to the rod holder bracket or the clamps.

 **Troll-master**
Contributing to your success

 **Leahorse**[®]
Downrigger System

**Improving your
fishing experience!**



MISSION

Troll-master Inc. is committed to the development and manufacturing of the high quality parts and accessories for the fishing industry. Our goal is to deliver a good product at a competitive price while maintaining the highest quality standards.

TEAM

Troll-master's team consists of professional engineers, tournament winning captains, fishing enthusiasts and manufacturing experts. Our R&D works in conjunction with real customers across the country utilizing hands on experience and cutting edge technology to design our products.

PRODUCTS

All our products come with a 10 year manufacturer's warranty. There is no fine print, no exclusions and no limitations. We will always stand behind our products and will gladly provide Customer Service and Technical Support to our customers. We are confident in the quality of the products, functional design and the materials used to produce them.

WARRANTY

Troll-master Inc. warrants to the original purchaser any defect in material or workmanship for the period of 10 years since the date of the original retail purchase. Troll-master Inc. will either repair or replace the product free of charge.

