

# **Peakhorse**®

## **Downrigger System**



**Product# PR-1030**

**Gimbal Mount - 9.5" length** —————●

**Product# PR-1060**

**Gimbal Mount XL - 12" length** —————●

**OWNER  
MANUAL**



# **Downrigger Gimbal Mount**

# THANK YOU,

*We hope you enjoy this product!*

Seahorse™ Downrigger Gimbal Mount is designed for instant mounting of your downriggers using your boat's existing flush mount rod holders. The Gimbal Mount Adapter provides anglers with a great alternative to the conventional bolt-through mounting solutions. This option works the best for anglers who employ downriggers occasionally or seasonally and would like a quick installation / removal option without any permanent attachments such as mounting plates or the Swivel Bases.

Seahorse™ Downrigger Gimbal Mount will convert any in-gunnel or transom mounted rod holder into a downrigger attachment point quickly and easily. Depending on the model, either **Product PR-1030** Measuring **9 1/2 inches** long with a **1 1/2 inch** outside diameter, or **Product PR-1060** Measuring **12 inches** long with a **1 1/2 inch** outside diameter, adapters are a convenient and sturdy solution manufactured for a precision fit into the most standard sizes of the common flush mounted 30 degree rod holders.

The top plate of the Gimbal Mount has a universal mounting pattern designed to fit all **Troll-Master®**, **Penn®** and **Cannon®** mounting plates as well as **Troll-Master® Seahorse™ Swivel Base** (Product# AR-1021).

## RECOMMENDATIONS

- 1 Please make sure that the boat's flush mounted rod holders are securely installed. The rod holders should be bolted through gunnel and not screwed. Please inspect the mounting hardware of your rod holders periodically and tighten as necessary.
- 2 We recommend that the downrigger is facing directly astern or at a slight angle while trolling and not off the side (outrigger style).
- 3 Secure a safety cord to the downrigger while trolling, especially in heavy seas.
- 4 Remove the trolling weight before pulling the downrigger and Seahorse™ Downrigger Gimbal Mount out of the flush mount rod holder.



*For more information, visit our website*

***www.Troll-master.com***

# ASSEMBLY

## PACKAGE CONTAINS:


- 1** Seahorse™ Downrigger Gimbal Mount  
*Or (Product # PR-1030 : 9.5in)  
(Product # PR-1060 : 12in)*
- 4** Plastic Insulating Washers
- 4** Stainless Washers
- 4** Stainless lock nuts

*Note: The plastic Insulating washers furnished with the mounting hardware must be used to prevent corrosion between the stainless washers / lock nuts and the underside of the top aluminum plate.*

### Troll-Master® Swivel Base Installation (Product# AR-1021)

Please use 4 stainless pan head machine screws , Plastic Insulating washers, stainless washers and stainless lock nuts to attach swivel base to the gimbal mount.

*Note: 4 Stainless Pan Head bolts are included with the Troll-Master® Adjustable Swivel Base (Product # AR-1021).*




### Troll-Master® Fixed base plate Installation (Product# PR-1001)



Please use 4 stainless oval head machine screws , Plastic Insulating washers, stainless washers and stainless lock nuts to attach downrigger mounting plate to the gimbal mount.

*Note: 4 Stainless oval head bolts are included with the Troll-Master® Downrigger Mounting Base Kit (Product # PR-1001).*

### Cannon® Downrigger Mounting Plate installation



Cannon® manufactures 4 different types of the mounting plates. Please select the correct type for your downrigger model. Use the 4 stainless pan head machine screws included with the mounting plate, plastic insulating washers, stainless washers and lock nuts to attach the plate to the gimbal mount.

 **Troll-master**  
Contributing to your success

 **Seahorse**®  
Downrigger System

**Improving your fishing experience!**



## MISSION

Troll-master Inc. is committed to the development and manufacturing of the high quality parts and accessories for the fishing industry. Our goal is to deliver a good product at a competitive price while maintaining the highest quality standards.

## TEAM

Troll-master's team consists of professional engineers, tournament winning captains, fishing enthusiasts and manufacturing experts. Our R&D works in conjunction with real customers across the country utilizing hands on experience and cutting edge technology to design our products

## PRODUCTS

All our products come with a 10 year manufacturer's warranty. There is no fine print, no exclusions and no limitations. We will always stand behind our products and will gladly provide Customer Service and Technical Support to our customers. We are confident in the quality of the products, functional design and the materials used to produce them.

## WARRANTY

Troll-master Inc. warrants to the original purchaser any defect in material or workmanship for the period of 10 years since the date of the original retail purchase. Troll-master Inc. will either repair or replace the product free of charge.

